





## **Our Wings Get You There**

Family fun happens when you spread your wings. Thanks to Jayco's amenity-packed floorplans, rock-solid construction and two full camping seasons of warranty coverage, you can. Greater peace of mind and added comfort mean better memories and lasting bonds. So go ahead. Hit the road—and let the good times fly.

## **Generations of Family Fun**



Eagle HT Travel Trailers: Page 4

Lengths: 35' 9" to 38' 4"; Weights: 7,865 to 8,605 lbs; Sleeps: 4 to 10



#### Eagle Travel Trailers: Page 6

Lengths: 38' 5" to 41' 7"; Weights: 9,505 to 10,250 lbs; Sleeps: 4 to 10



#### Eagle HT Fifth Wheels: Page 10

Lengths: 29' 3" to 36' 8"; Weights: 7,510 to 9,835 lbs; Sleeps: 4 to 10



#### Eagle Fifth Wheels: Page 14

Lengths: 36' 11" to 42' 4"; Weights: 10,310 to 12,335 lbs; Sleeps: 4 to 12

## DISCOVER ONE OF THE LONGEST-RUNNING, MOST SUCCESSFUL RV BRANDS ON THE MARKET TODAY!



For over 25 years, Jayco's Eagle brand has represented quality and innovation in camping for the entire RV industry. Building on the past success of the popular brand, great efforts have been taken to further enhance best-selling floorplans, add useful new technology and ideas, fully address customers' wish list items and expectations, and create a truly best-in-class feature set. With thanks and consideration to strongly loyal customers and repeat buyers, Jayco's team of skilled craftsmen, engineers and designers are proud to present the 2018 Eagle.

#### THE JAYCO DIFFERENCE

When you choose Jayco's Eagle, you get the strongest foundation in the business, unmatched weatherproofing and rock-solid construction.



1. Jayco
TUFF-SHELL
ALUMINUM FRAME
VACUUM LAMINATED CONSTRUCTION

Tuff-Shell vacuum-bonded, aluminum-framed, laminated sidewalls, end walls and slide


room walls provide a durable, lightweight, well-insulated structure for better protection from the elements

- Magnum Truss<sup>®</sup> XL5 Roof System withstands 4,500 pounds— 50 percent more than other RV roofs
- Double layer of fiberglass insulation behind the front cap, plus radiant barrier bubble foil and fiberglass insulation in floors to provide extra warmth where it's needed most
- 4. Aerodynamic fiberglass front cap withstands the rigors of the road with infused pigment and gelcoating, plus specialty bracing for additional support—not typically found on competing fifth wheels
- USA-made Goodyear® Endurance® 10-ply, Load Range E, radial tires with automotive-style aluminum rims
- Helix Whisper Quiet 15,000-BTU A/C dramatically reduces noise and uses an exclusive rounded, H-shaped dual-duct design for super-efficient cooling

- MORryde<sup>®</sup> CRE3000<sup>™</sup> suspension allows for 3 inches of vertical travel for superior absorption of road shock
- Standard roof ladder provides access to full walk-on plywood roof
- 9. Extruded aluminum entry step
- 10. Dicor DiFlex II roofing with 12-year warranty
- S.M.A.R.T. (Safety Markers and Reverse Travel) tow vehicle-controlled exterior LED lighting
- Pin box options for better ride and functionality (fifth wheels only)
- Climate Shield™ fully enclosed underbelly, high-BTU furnace, specialty insultation and PEX plumbing
- 14. Rooftop solar prep pre-wired for upgradability
- Keyed-Alike™ lock system with all locks using a single, unique key for better security

























#### **EAGLE HT TT FLOORPLANS**



#### EAGLE HT TRAVEL TRAILER | 295DBOK OPTIONS: B, F, H

Ext. Lgth: 37' 10" Ext. Ht: 138" Unloaded Wt. (lbs): 8,425 Sleeps: 7-10



#### EAGLE HT TRAVEL TRAILER | 314BHDS OPTIONS: B, D, H

Ext. Lgth: 37' 10" Ext. Ht: 138" Unloaded Wt. (lbs): 8,405 Sleeps: 7-10



#### EAGLE HT TRAVEL TRAILER | 306RKDS OPTIONS: A, C

Ext. Lgth: 35' 9" Ext. Ht: 138" Unloaded Wt. (lbs): 7,865 Sleeps: 4-7



#### EAGLE HT TRAVEL TRAILER | 324BHTS OPTIONS: B, D, F, H

Ext. Lgth: 38' 4" Ext. Ht: 138" Unloaded Wt. (lbs): 8,605 Sleeps: 7-10

#### **EAGLE TT FLOORPLANS**



#### EAGLE TRAVEL TRAILER | 322RLOK OPTIONS: E, G

Ext. Lgth: 38' 5" Ext. Ht: 146" Unloaded Wt. (lbs): 9,505 Sleeps: 4-6



#### EAGLE TRAVEL TRAILER | 333BHOK OPTIONS: B, D, E, G, H

Ext. Lgth: 41' 7" Ext. Ht: 142" Unloaded Wt. (lbs): 10,250 Sleeps: 7-10



#### EAGLE TRAVEL TRAILER | 330RSTS OPTIONS: A, E, F, G

Ext. Lgth: 39' 3" Ext. Ht: 140" Unloaded Wt. (lbs): 9,720 Sleeps: 4-6



#### EAGLE TRAVEL TRAILER | 338RETS OPTIONS: A, C, E, G

Ext. Lgth: 39' 3" Ext. Ht: 142" Unloaded Wt. (lbs): 9,630 Sleeps: 4-8

#### **OPTIONS:**









OPTION D













STORAGE Œ TRAILER HITCH

FLOORPLAN LEGEND:

LAV BATHROOM SINK MED MEDICINE CABINET

MICRO MICROWAVE OHC OVERHEAD CABINETS FRIDGE REFRIGERATOR

WARD WARDROBE

#### **EAGLE HT TT SPECS**

MODELS		D	IMENSIONS				WEIGHT (LI	TANKS (GALS.)				
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR BOX SIZE	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY*	BLACK WASTE WATER CAPACITY
295DBOK	37' 10"	34' 9"	96"	138"	84"	8,425	885	10,950	2,525	75	73.5	32.5
306RKDS	35' 9"	33' 0"	96"	138"	84"	7,865	1,090	9,950	2,085	75	65	32.5
314BHDS	37' 10"	34' 9"	96"	138"	84"	8,405	1,185	10,950	2,545	75	41	32.5
324BHTS	38' 4"	35' 4"	96"	138"	84"	8,605	935	10,950	2,345	75	65	32.5

<sup>\*</sup>Split tanks

#### **KEY EXTERIOR FEATURES**



EAGLE TT FRONT CAP WITH INTEGRATED BOTTLE COVER



TRAVEL TRAILER ELECTRIC
AUTO-LEVELING SYSTEM (BAL 5.3)



GOODYEAR® ENDURANCE® TIRES



#### **EAGLE TT SPECS**

MODELS	ELS DIMENSIONS					WEIGHT (LBS	i.)	TANKS (GALS.)				
FLOORPLAN	EXTERIOR TRAVEL LENGTH	EXTERIOR BOX SIZE	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY*	BLACK WASTE WATER CAPACITY
322RLOK	38' 5"	35' 5"	96"	146"	87"	9,505	1,260	11,750	2,245	75	97.5	32.5
330RSTS	39' 3"	36' 2"	96"	140"	87"	9,720	1,290	11,750	2,030	75	97.5	32.5
333BH0K	41' 7"	38' 7"	96"	142"	87"	10,250	1,465	12,500	2,250	75	97.5	32.5
338RETS	39' 3"	36' 1"	96"	142"	87"	9,630	1,315	11,750	2,120	75	97.5	32.5

<sup>\*</sup>Split tanks

Unloaded Vehicle Weight (UVW): Sometimes referred to as "Dry Weight," UVW means the typical weight of this trailer as built at the factory. The UVW, as used in product literature and other promotional materials, does not include cargo, fresh water, propane, options or dealer-installed accessories.

Gross Vehicle Weight Rating (GVWR): GVWR means the maximum permissible weight of the trailer, including the UVW plus personal items, all cargo, fluids, options and dealer-installed accessories. The GVWR is equal to or greater than the sum of the UVW and the CCC.

Cargo Carrying Capacity (CCC): CCC means the maximum weight of personal items, food, fresh water, propane, tools, other cargo and dealer-installed accessories that can be carried by the trailer. CCC is equal to or less than GVWR minus UVW. The addition of options will decrease the CCC.

Hitch Weight (HW): The hitch weight, as used in product literature and other promotional materials, does not include cargo, fresh water, propane gas, options or dealer-installed accessories. The addition of these types of items will either add to or subtract from the stated hitch weight.


It is important for your safety and enjoyment that your tow vehicle be adequately sized and equipped to tow and handle the GVWR of the RV you select. Review weights and rating of your tow vehicle and consult a competent advisor for questions or advice. Whether you are new to RVing or a veteran, get a feel for the performance of your tow vehicle before heading out on the roadways. When you tow an RV, you must drive differently than when you drive a single vehicle. Practice hooking up, driving, backing up and braking in a safe environment or seek out professional instruction. Jayco affixes a weight label to each RV which lists weight information for that vehicle. See specifications charts above.













#### **EAGLE HT FW FLOORPLANS**



EAGLE HT FIFTH WHEEL | 24.5CKTS OPTION C

Ext. Lgth: 29' 6" Ext. Ht: 147"\*\*\* Unloaded Wt. (lbs): 7,530 Sleeps: 4-6



EAGLE HT FIFTH WHEEL | 26.5RLDS OPTIONS: A, E

Ext. Lgth: 31' 5" Ext. Ht: 141" Unloaded Wt. (lbs): 7,845 Sleeps: 4-6



EAGLE HT FIFTH WHEEL | 29.5BHDS OPTIONS: B, D, E

Ext. Lgth: 34' 9" Ext. Ht: 149"\*\*\* Unloaded Wt. (lbs): 8,655 Sleeps: 7-10



EAGLE HT FIFTH WHEEL | 30.5CKTS OPTIONS: A, E, F

Ext. Lgth: 34' 3" Ext. Ht: 145"\*\*\* Unloaded Wt. (lbs): 8,775 Sleeps: 4-6

**OPTIONS:** 



### OPTION C















EAGLE HT FIFTH WHEEL | 25.5REOK OPTIONS: A, E

Ext. Lgth: 29' 3" Ext. Ht: 149" Unloaded Wt. (lbs): 7,650 Sleeps: 4-6



EAGLE HT FIFTH WHEEL | 27.5RLTS OPTION C

Ext. Lgth: 31' 2" Ext. Ht: 144" Unloaded Wt. (lbs): 8,045 Sleeps: 4-6



EAGLE HT FIFTH WHEEL | 29.5BHOK OPTIONS: B, D, F

Ext. Lgth: 35' 6" Ext. Ht: 150"\*\*\* Unloaded Wt. (lbs): 8,780 Sleeps: 7-10



EAGLE HT FIFTH WHEEL | 30.5MBOK OPTION C

OPTION F

Ext. Lgth: 36' 8" Ext. Ht: 147" Unloaded Wt. (lbs): 9,835 Sleeps: 8-10



EAGLE HT FIFTH WHEEL | 26.5BHS OPTIONS: B, D

Ext. Lgth: 31' 7" Ext. Ht: 150" Unloaded Wt. (lbs): 7,510 Sleeps: 7-10



EAGLE HT FIFTH WHEEL | 28.5RSTS OPTIONS: A, E

Ext. Lgth: 33' 0" Ext. Ht: 143"\*\*\* Unloaded Wt. (lbs): 8,600 Sleeps: 4-6



EAGLE HT FIFTH WHEEL | 29.5FBDS OPTIONS: B, D

Ext. Lgth: 34' 6" Ext. Ht: 150" Unloaded Wt. (lbs): 8,585 Sleeps: 7-10



EAGLE HT FIFTH WHEEL | 30.5MLOK OPTIONS: A, E, F

Ext. Lgth: 34' 6" Ext. Ht: 148"\*\*\* Unloaded Wt. (lbs): 8,400 Sleeps: 4-6

#### **EAGLE HT FW SPECS**

MODELS	DIMENSIONS					WEIGHT (LBS.)				TANKS (GALS.)		
	TOTAL EXTERIOR LENGTH	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	INTERIOR HEIGHT	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY	BLACK WASTE WATER CAPACITY
24.5CKTS	29' 6"	29' 0"	96"	147"***	75"	7,530	1,330	9,950	2,420	42	65**	32.5
25.5REOK	29' 3"	28' 8"	96"	149"	75"	7,650	1,320	9,995	2,345	42	65**	32.5
26.5BHS	31' 7"	31' 1"	96"	150"	75"	7,510	1,460	9,950	2,440	42	65**	32.5
26.5RLDS	31' 5"	30' 11"	96"	141"	75"	7,845	1,550	9,995	2,150	42	65**	32.5
27.5RLTS	31' 2"	30' 8"	96"	144"	75"	8,045	1,550	9,995	1,950	42	65**	32.5
28.5RSTS	33' 0"	32' 6"	96"	143****	75"	8,600	1,490	10,130	1,530	43	65**	32.5
29.5BHDS	34' 9"	34' 3"	96"	149****	75"	8,655	1,670	10,130	1,475	43	73.5**	32.5
29.5BHOK	35' 6"	35' 0"	96"	150"***	75"	8,780	1,740	11,000	2,220	43	73.5**	32.5
29.5FBDS	34' 6"	34' 0"	96"	150"	88"	8,585	1,595	10,130	1,545	43	65**	32.5
30.5CKTS	34' 3"	33' 9"	96"	145"***	75"	8,775	1,615	11,000	2,225	43	65	32.5
30.5MB0K	36' 8"	36' 3"	96"	147"	75"	9,835	1,860	11,950	2,115	75	65**	32.5
30.5MLOK	34' 6"	34' 0"	96"	148****	75"	8,400	1,530	10,130	1,730	43	65**	32.5

<sup>\*</sup>Distance from the pin box to the bumper; total exterior length may be longer.

12 \*\*\*Estimated


<sup>\*\*</sup>Split tanks

#### **EAGLE HT EXTERIOR FEATURES**



























#### **EAGLE FW FLOORPLANS**



EAGLE FIFTH WHEEL | 317RLOK OPTIONS: E, G

Ext. Lgth: 37' 0" Ext. Ht: 154" Unloaded Wt. (lbs): 10,565 Sleeps: 4



EAGLE FIFTH WHEEL | 321RSTS OPTIONS: A, E, F, G

Ext. Lgth: 36' 11" Ext. Ht: 155" Unloaded Wt. (lbs): 10,310 Sleeps: 4-6



EAGLE FIFTH WHEEL | 325BHQS OPTIONS: B, C, F, G, H

Ext. Lgth: 38' 9" Ext. Ht: 161" Unloaded Wt. (lbs): 11,285 Sleeps: 6-10



EAGLE FIFTH WHEEL | 327CKTS OPTIONS: E, G

Ext. Lgth: 38' 4" Ext. Ht: 156" Unloaded Wt. (lbs): 10,920 Sleeps: 4



#### EAGLE FIFTH WHEEL | 336FBOK OPTIONS: E, G

Ext. Lgth: 40' 3" Ext. Ht: 154" Unloaded Wt. (lbs): 11,245 Sleeps: 4-5



#### EAGLE FIFTH WHEEL | 339FLQS OPTIONS: E, G

Ext. Lgth: 39' 6" Ext. Ht: 162" Unloaded Wt. (lbs): 10,745 Sleeps: 4-6



#### EAGLE FIFTH WHEEL | 347BHOK OPTIONS: B, D, E, F, G, H

Ext. Lgth: 41' 7" Ext. Ht: 160" Unloaded Wt. (lbs): 12,155 Sleeps: 6-10



#### EAGLE FIFTH WHEEL | 355MBQS OPTIONS: A, D, E, F, G, H

Ext. Lgth: 42' 4" Ext. Ht: 154" Unloaded Wt. (lbs): 12,335 Sleeps: 9-12

#### **OPTIONS:**





















#### FLOORPLAN LEGEND:

S STORAGE

TRAILER HITCH

MICRO MICROWAVE OHC OVERHEAD CABINETS BATHROOM SINK

MED MEDICINE CABINET

FRIDGE REFRIGERATOR WARD WARDROBE

#### **EAGLE FW SPECS**

MODELS			DIMENS	IONS			WEIGHT (LBS.)				TANKS (GALS.)		
FLOORPLAN	TOTAL EXTERIOR LENGTH	EXTERIOR TRAVEL LENGTH*	EXTERIOR WIDTH	EXTERIOR HEIGHT (WITH A/C)	EXTERIOR HEIGHT (WITH OPTIONAL BEOROOM A/C)	INTERIOR HEIGHT (UPPER DECK)	UNLOADED VEHICLE WEIGHT	DRY HITCH WEIGHT	GROSS VEHICLE WEIGHT RATING	CARGO CARRYING CAPACITY	FRESH WATER CAPACITY (INCLUDES WATER HEATER)	GREY WASTE WATER CAPACITY**	BLACK WASTE WATER CAPACITY
317RLOK	37' 0"	36' 7"	96"	154"	162"	78"	10,565	2,055	12,825	2,260	75	87	50
321RSTS	36' 11"	36' 5"	96"	155"	162"	78"	10,310	2,045	12,700	2,390	75	87	50
325BHQS	38' 9"	38' 3"	96"	161"	162"	78"	11,285	2,195	13,750	2,456	75	95.5	50
327CKTS	38' 4"	37' 11"	96"	156"	162"	78"	10,920	2,110	13,250	2,330	75	87	50
336FBOK	40'3"	39' 9"	96"	154"	162"	78"	11,245	2,115	13,750	2,505	75	87	87
339FLQS	39' 6"	39' 0"	96"	162"	162"	96"	10,745	1,930	12,950	2,205	75	74	37
347BH0K	41' 7"	41' 1"	96"	160"	160"	78"	12,155	2,270	14,850	2,695	75	95.5	87
355MBQS	42' 4"	41' 11"	96"	154"	161"	78"	12,335	2,455	14,995	2,660	75	87	50

<sup>\*</sup>Distance from the pin box to the bumper; total exterior length may be longer.

<sup>\*\*</sup>Split tanks









### CLIMATESHIELD

## Extend your camping season with the Jayco Climate Shield™.


It protects against extreme heat and extreme freezing—even in temperatures as high as 100 degrees or as low as zero degrees (Fahrenheit).\*


\*Eagle was tested in zero degrees F and 100 degrees F weather over an extended period of time in a controlled environment, and all functions of the coach were fully operational. Testing was done in a completely controlled environment; therefore, temperatures during testing may not represent actual temperatures



in nature and cannot account for elements such as wind or moisture. In actual use, unit may not perform as well. Supplier of cooling components does not guarantee anything better than 20 degrees difference from ambient temperature. In addition, outside components are subject to freezing and require steps to properly insulate. Jayco's limited warranty does not cover damage caused by freezing. To learn more about Climate Shield and testing done by Jayco, visit www.jayco.com.

## Strongest foundations






## I-Class™ Cambered Structured Steel I-Beam Frames

Frames are designed specifically for Eagle by Jayco's engineering team and customized floorplan by floorplan with more outriggers and cross-members than the competition.





## JAYCO'S ROOF VS OTHER ROOFS





4,500 POUNDS ON A JAYCO ROOF VS. OTHER ROOFS

# THE MAGNUM TRUSS™ XL5 ROOF SYSTEM 50 percent stronger





#### **GOODYEAR® TIRES NOW FEATURED ON ALL 2018 EAGLES**

Optimized tread depth and decoupling groove help tire to

remain cool while towing heavy loads

Scuff guard helps provide sidewall protection

Specialized inner liner minimizes air loss in trailer applications because of 100% halobutyl rubber



Rugged fabric-steel construction

**6-year limited warranty** from Goodyear on tire workmanship and materials

Offers improved durability and carrying capacity while remaining compatible with tire pressure monitoring systems and typical tire inflation stations

	HE	64	HI	/ ^
Customer Value Package (mandatory)	-			
Soodyear® Endurance® tires (made in USA!) (load range 'E')	CVP	CVP	CVP	CVP
Dual-duct Whisper Quiet 15,000-BTU central A/C unit	CVP	CVP	CVP	CVP
Residential queen 60-inch x 80-inch Simmons® mattress with under-bed storage	CVP	CVP	CVP	CVP
Electric patio awning with integrated LED lights	CVP	CVP	CVP	CVP
Custom-machined aluminum rims  MORando® CRE2000TM subharized suppossion	CVP	CVP	CVP	CVP
MORryde® CRE3000™ rubberized suspension  Rear 2-inch receiver	CVP	CVP	CVP	CVP
LED HDTV with fully digital HDMI® output	39-INCH	50-INCH	39-INCH	50-INCI
12V AM/FM/CD/DVD/USB 3-zone AV system with Bluetooth® and HDMI	CVP	CVP	CVP	CVP
Stainless steel microwave with exhaust fan	CVP	CVP	CVP	CVP
Rain-proof EZ Breeze™ 350CFM bathroom power vent (patent pending - class exclusive)	CVP	CVP	CVP	CVP
Rooftop and ground solar prep by Go Power!TM (industry first!)	CVP	CVP	CVP	CVP
Wireless remote control system	CVP	CVP	CVP	CVP
Keyed-Alike™ lock system	CVP	CVP	CVP	CVP
Luxury Package (mandatory)				
Handcrafted, Sugar Maple-glazed, raised-panel Maple cabinet doors	N/A	LUX PKG	N/A	LUX PK
Soft-close residential kitchen drawers	N/A	LUX PKG	N/A	LUX PK
Washer/dryer prep (n/a on 325BHQS, 339FLQS)	N/A	LUX PKG	N/A	LUX PK
Soundbar	N/A	LUX PKG	N/A	LUX PK
LG® solid-surface kitchen countertop with bamboo sink cover and strainer	0PT	LUX PKG	OPT	LUX PK
50-amp service with second A/C prep.	OPT	LUX PKG	OPT	LUX PK
Frameless windows	0PT	LUX PKG	OPT	LUX PK
LED fireplace, 5,000-BTU electric space heater	0PT	LUX PKG	OPT	LUX PK
Standard Exterior Equipment	(SELECT MOD)		(SELECT MOD)	
I-Class™ cambered structural steel I-beam frame				
Tuff-Shell™ aluminum-framed, vacuum-laminated, gelcoat fiberglass exterior walls (including rear wall and slide room end walls)				
Magnum Truss™ Roof System (strongest-tested roof in the industry) with one-piece, seamless DiFlex II material				
Climate Shield™ zero-degree-tested weather protection:	-			
Fully enclosed and heated underbelly (ducted)				
High-BTU-output furnace     Double-layer fiberglass batt insulation in ceiling and floor				
<ul> <li>Double-sided radiant barrier insulation in roof and slide room floors</li> </ul>				
PEX plumbing				
High-gloss, fiberglass front cap with built-in specialty LED lighting			•	•
S.M.A.R.T. (Safety Markers and Reverse Travel) LED exterior lighting package	•	•	•	•
Custom automotive-grade vinyl exterior graphics package	•	*	*	•
Power service with detachable Powersmart™ LED shore power cord	30-AMP	50-AMP	30-AMP	50-AMF
Dual 30-pound propane bottles with auto-regulator	•		•	•
Sturdy, anti-slip Alumi-Tread™ entrance steps with safety light	•	•	•	•
Upgraded 30-inch x 72-inch friction-hinge entrance door with XL grab handle	•		•	
Pass-through storage with Slam-latch™ baggage doors		•	•	
Digital TV antenna				
Exterior marine-grade speakers  Fully applicant LED, lit universal decision coater with autoide abovers gits water		-	-	-
Fully enclosed, LED-lit universal docking center with outside shower, city water connection and black tank flush	•		•	•
Independent satellite and whole-coach cable hookups				
Battery disconnect				
Water heater bypass				
Best-in-class fresh water tank sizes		*		
Under-mounted spare tire	•		•	
LP quick connect				
Roof ladder	•			
Backup camera prep				
Industry's BEST outside kitchen (select models)		*	.*.	*:
Front electric landing gear	•	•	N/A	N/A
Front electric tongue jack	N/A	N/A	•	
Front electric stabilizer jacks	N/A	N/A	OPT	•
Rear electric stabilizer jacks	OPT		0PT	
Standard Interior Equipment	9	W.		
Solid, hardwood Maple slide fascia	•	•	•	•
Handcrafted, Sugar Maple-glazed drawers and trim				
Heavy-duty, 75-pound, full-extension, steel ball-bearing drawer guides		•		•
Hidden hinges		•	•	•
5/g-inch tongue-and-groove joined plywood floor decking				
	•	•	•	
<sup>5</sup> / <sub>s</sub> -inch tongue-and-groove joined plywood floor decking  Shaw® residential carpeting with R2X® stain guard  Shaw residential carpet pad with R-value and sound dampening				

	H.C.	64	H	/ 4
LED interior lighting throughout	•	•	•	•
HELIX Whisper Quiet Cooling System (industry exclusive):  • Jayco-exclusive insulated dual-duct design  • Directional and closeable A/C vents  • Larger return air vents with user-accessible filters				
Exterior-mounted 15,000-BTU Whisper Quiet A/C unit  Control control on the William to the provide form				
Central command center with built-in tank monitoring  Tri-fold hide-a-bed sofa with residential sleep surface			•	
Swivel glider recliner(s) (select models)				
Stainless steel kitchen sink				
Brushed nickel kitchen faucet with pullout sprayer				
Residential-style pantry storage				
Stainless steel oven and sealed burner stovetop	•		•	
8-cubic-foot gas/electric refrigerator with freezer	•	•	•	•
17.8-gallon-per-hour quick-recovery gas/electric DSI water heater	•	•	•	•
Dual USB charging ports (kitchen and bedroom)	•	•	•	•
12V charging station	•	•	•	•
Extra 110V power outlets in kitchen and slide rooms	•	•	•	•
Pleated window shades			:	
Bathroom skylight  LED vanity and residential-size mirror (industry exclusive)	- :	i i	•	
Bathroom stone and glass tile backsplash				
Residential-style shower with glass door				
Blue LED nightlight in bathroom				
Porcelain foot flush toilet				
360 Siphon® roof vent	•	•	•	
Residential quilted bedspread and pillows	•			
Smart LED reading lights with blue nightlight mode	•	•	•	•
CPAP-prepped bedroom	•	•		٠
Carbon monoxide and LP detector	•	•	•	•
Hardwood safety handrail on steps (upper bath deck FWs only)	•	•	N/A	N/A
110V ceiling fan	N/A	•	N/A	N/A
Options	007	0.07	007	OPT
Canadian standards	OPT OPT	OPT -	OPT OPT	OPT •
16-inch Goodyear tire upgrade Freestanding Sugar Maple table with leaf, 2 storage and 2 folding chairs	OPT	OPT	OPT	OPT
Booth dinette	OPT	OPT	OPT	OPT
	(SELECT MOD)	(SELECT MOD)	(SELECT MOD)	(SELECT MI
50-amp service and second A/C prep Second 15,000-BTU A/C ducted in bedroom (requires 50-amp service)	OPT OPT	LUX PKG OPT	OPT OPT	LUX PK
	OPT		OPT	
LED fireplace (5,000-BTU electric heater, requires 50-amp service)	(SELECT MOD)	LUX PKG	(SELECT MOD)	LUX PK
Wall-hugger theater seating (select models; std. in 317RLOK, 336FB0K)	OPT (SELECT MOD)	OPT (SELECT MOD)	OPT (SELECT MOD)	OPT (SELECT M
Party sofa with stowable tables and hide-a-bed	OPT (SELECT MOD)	OPT ISELECT MODE	OPT (SELECT MOD)	OPT (SELECT M
Second tri-fold hide-a-bed sofa	OPT (SELECT MOD)	OPT ISBLECT MOON	OPT (SELECT MOD)	OPT (SELECT MC
LG solid-surface kitchen countertop with bamboo sink cover and strainer	OPT	LUX PKG	OPT	LUX PK
Rear electric stabilizer jacks	OPT		OPT	
Electric auto-leveling system	OPT	OPT	0PT	0PT
King-size Simmons mattress (n/a in 325BHQS)	N/A	OPT ISELECT MODE	N/A	OPT
12-cubic-foot refrigerator	OPT (SELECT MOD)	OPT	N/A	OPT
21-cubic-foot residential refrigerator with 1,200-watt inverter	N/A	OPT	N/A	OPT
Second power awning	N/A	OPT	N/A	OPT
	1 222	(SELECT MOD)		(SELECT M
MORryde "RPB" rubber pin box MORryde Orbital 90-degree pin box	N/A OPT	OPT N/A	N/A N/A	N/A N/A
		OPT		0PT
32-inch LED TV in master bedroom	N/A	(SELECT MOD)	N/A	(SELECT M)
	OPT (SELECT MOD)	OPT (SELECT MOD)	OPT (SELECT MOD)	OPT (SELECT M
32-inch LED TV in bunkroom	OPT	OPT (SELECT MOD)	OPT (SELECT MOO)	OPT (SELECT M
32-inch LED TV in bunkroom 32-inch LED TV in outside kitchen	(SELECT MOD)		BUGA	0PT
	(SELECT MOD)	N/A	N/A	
32-inch LED TV in outside kitchen Rolling island pantry (322RLOK, 338RETS) Wireless backup camera kit		N/A OPT	OPT OPT	0PT
32-inch LED TV in outside kitchen  Rolling island pantry (322RLOK, 338RETS)  Wireless backup camera kit  Girard® third-generation tankless water heater with digital thermostat	N/A OPT OPT	OPT OPT	OPT OPT	0PT
32-inch LED TV in outside kitchen Rolling island pantry (322RLOK, 338RETS)	N/A OPT OPT OPT	OPT	OPT	OPT OPT
32-inch LED TV in outside kitchen  Rolling island pantry (322RLOK, 338RETS)  Wireless backup camera kit  Girard® third-generation tankless water heater with digital thermostat	N/A OPT OPT	OPT OPT	OPT OPT	0PT

CVP - Customer Value Package

OPT - Optional

**OPT (SELECT MOD)** - Optional on select models

LUX PKG - Luxury Package

N/A - Not Available

Standard

#### **EAGLE ENHANCEMENTS AND OPTIONS**




KEYED-ALIKE LOCK SYSTEM



SUGAR MAPLE HARDWOOD SLIDE ROOM FASCIA



INDUSTRY-EXCLUSIVE LED-BACKLIT MIRROR



HELIX WHISPER QUIET COOLING SYSTEM WITH JAYCO-EXCLUSIVE DUCT DESIGN



LG SOLID-SURFACE KITCHEN COUNTERTOP WITH BAMBOO SINK COVER AND STRAINER



MORRYDE CRE3000 RUBBERIZED SUSPENSION



RESIDENTIAL SIMMONS MATTRESS



360 SIPHON ROOF VENT



SHAW RESIDENTIAL CARPETING WITH R2X STAIN GUARD, R-VALUE AND SOUND DAMPENING



POTS AND PANS DRAWER WITH 75-POUND CAPACITY



12V 3-ZONE FURRION® AV SYSTEM WITH HDMI AND BLUETOOTH





OPTIONAL DRY CAMPING PACKAGE:
GENERATOR PREP AND EXTRA LP CAPACITY



OPTIONAL WI-FI REMOTE CONTROL SYSTEM FOR LEVELING SLIDE ROOMS, AWNING AND LIGHTING




GO POWER! GROUND AND ROOFTOP SOLAR PREP



OPTIONAL FURRION BACKUP CAMERA SYSTEM





OPTIONAL GIRARD 3RD-GENERATION TANKLESS WATER HEATER WITH DIGITAL THERMOSTAT



90-DEGREE TURNING RADIUS (HT FW ONLY)



RUBBER PIN BOX (FW ONLY)



## **OUR WINGS GET YOU THERE**

Designed for camping comfort and convenience, Jayco RVs provide an easy-going, family-fun experience that relieves your stress. With countless features and reliable construction, you'll breathe easy no matter where your adventures take you.

#### **EAGLE INTERIOR DÉCOR**

**JAVA** 

MAIN ACCENT

WINDOW TREATMENT

TRIM



CHESTNUT

MAIN

ACCENT

WINDOW TREATMENT

TRIM



#### PEPPERCORN

MAIN

ACCENT

WINDOW TREATMENT

TRIM



#### CASHMERE

MAIN

ACCENT

WINDOW TREATMENT

TRIM





Generations of family fun.

**Meet your Jayco Dealer** \_

We work hard—so you can play hard. From finding the perfect Jayco for your family to providing flexible financing options and full-service support, we're here to help.

#### **Travel with Confidence**



At Jayco, we build our RVs to handle every adventure, then back them with our industry-leading 2-year limited warranty. We, with support from our select partners, have you covered for 2 camping seasons. That's 730 days. You won't find a better warranty in the business, because the only strings we attach are those that deliver the ultimate in reliability. That's the Jayco difference. So go explore. For a copy of our 2-year limited warranty with complete terms and conditions, please contact your local Jayco dealer.





Featuring Durawall® Technology—ENGINEERED to help you tow with confidence

## advantage

#### Jayco's long-term commitment to generations of family fun

After six years of increased efforts to eliminate waste, conserve energy and increase recycling, we've come a long way in building RVs that are not only better for your family—but also better for the planet. Learn more at Jayco.com/EcoAdvantage

#### Follow Jayco











Jayco, Inc., P.O. Box 460, Middlebury, IN 46540, www.jayco.com & RVIA See dealer for further information and prices. All information in this brochure and on www.jayco.com is the latest available at the time of publication approval. Jayco reserves the right to make changes and to discontinue models without notice or obligation. Photography may show optional equipment or props used for decoration purposes only. RVs built for sale in Canada may differ to conform to Canadian codes. JAYCO and the JAYCO BIRD IN FLIGHT are registered trademarks of Jayco, Inc. Printed in U.S.A. 30K 1/18 ©2018 Jayco, Inc. 274778-1